ECLS Registry Form Extracorporeal Life Support Organization (ELSO)

Please refer to the ELSO Regist	ry Data Definitions Document for Details
Unique ID:	Birth Date:(include time for neonates)
Sex:(M, F, unknown) Race:(Asian, Black, Hispanic, White, Middle Eastern or North African, Native American, Native Pacific Islander, Other, Unknown)
Run Information	
Date/Time On: Date/Time Off: Run No: Weight (kg): Height (cm):	Support Type: ☐ Pulmonary ☐ Cardiac ☐ ECPR
Intubation: Yes, Date Known: Pre-existing Ventilation: Yes, Date Estimated: Yes, Date Unknown No CoVID 19: confirmed by testing, suspected-no testing, no clinical suspicion, or confirmed negative	Invasive Ventilation: Yes, New Date/Time Known: Pre-existing Ventilation: Yes, Date/Time Estimated: Yes, Date/Time Unknown No MIS-C: Clinically suspected/confirmed, not clinically suspected
Neonatal patients only:	
Birth weight (kg): Ges	stational age:
Apgar (1 min): Del	ivery: (Vaginal, ER or Elective C-section, Unknown)
Apgar (5 min): Mat	ternal age:
	renatal diagnosis:
CDH Side: (Right,Left,Bilateral,	-
, · •	n ECLS, Post-ECLS)
Repair: (None, Pre-ECLS,O	11 2023; 1 03(-2023)
Pre-ECLS Assessment	
ABG: Closest to/before ECLS, no more than 6 hours before ECLS	Vent Settings: Closest to/before ECLS, no more than 6 hours before ECLS
Date/Time:(%) FiO2 (at ABG draw):(%) Lactate: unknown? PaCO2:	No Ventilator in use: Date/Time: unknown/unavail? Rate(BPM) or Hz: PIP/Ampl:
PaO2: HCO3: unknown?	PEEP: MAP:
SaO2(%): SpO2 (%):	Hand bagging: Y N Unknown (Select if hand bagged beginning in the 6hrs pre ECLS AND continuing to the time of cannulation)
Hemodynamics (Closest to and before ECLS start, ideally no more to	
Date/Time: unknown/unavail?	Systolic PAP: Diastolic PAP: Mean PAP: PCWP: Cardiac Index:
	ı

Pre ECLS Support	
Hospital Admit Date/Time:	
	ECMO Not Transported Unknown rt Date/Time as the time that your Center assumed care for the patient enter Number or typing name of Center. Non-ELSO Center is a free text field.
☐ To an ELSO Center? ☐ To a Non ELSO Center?	Center Name:
☐ Cannulated with Mobile ECMO?	Pre-ECLS cardiac arrest? ☐ Y ☐ N ☐ Unknown
Bridge to transplant? ☐ Y ☐ N ☐ Unknown	
Is Trauma the underlying reason for ECLS?	N Unknown (if yes, consider completing the Trauma Addendum)
Mechanical Cardiac Support (Select those used or in place wi	ithin 24 hours pre ECLS)
Berlin Heart BiVAD Cardiac pacemaker Card Perc Ventricular Assist Device RVAD	diopulmonary bypass (CPB)
Renal, Pulmonary and Other Support (Select those used	or in place within 24 hours pre ECLS)
HFOV Inhaled Anesthetic Inhaled Epoprostenol (>6 hou Prone Positioning (>16 hours) Renal Replacement Therapy	Irs) Inhaled NO (>6 hours) Liquid ventilation Plasmapheresis Surfactant Therapuetic Hypothermia < 35 degrees C
Medications Excluding Vasoactives (Select those used or i	in place within 24 hours pre ECLS)
Alprostadil IV Bicarbonate Epoprostenol (all synthetic p Sildenafil Systemic Steriods THAM	orostacyclin analogues)
Vasoactive Infusions (Select those used within 24 hours AND cor	ntinuously for 6 hours pre ECLS)
Dobutamine Dopamine Enoximone Epinephrine Milrinone Nicardipine Nitroglycerin Nitroprusside	Esmolol Inamrinone Levosimendan Metaraminol Metoprolol Norepinephrine Phenylephrine Tolazoline Vasopressin
ECLS Assessment	
Arterial Blood Gas	Ventilator Settings
Closest to 24 hours after ECLS start, but no less t	than 18 hours and not more than 30 hours after ECLS start
Date/Time: FiO2 (at ABG draw):(%)	No Ventilator in use:
Lactate:	Date/Time: unknown/unavail?
pH: Unknown?	Rate(BPM) or Hz:
PaCO2:	PIP/Ampl:
PaU2:	PEEP:
HCO3:Unknown? [_]	MAP:
SaO2(%):	Hand bagging: Y N Unknown
SpO2 (%):	
Hemodynamics Closest to 24 hours after ECLS start, but no less that	an 18 hours and not more than 30 hours after ECLS start
	Systolic PAP:
Date/Time: unknown/unavail? Unknown/unava	Diastolic PAP
	Mean PAP:
Mean BP:	PCWP:
SvO2:	Cardiac Index:
Blood Pump Flow Rates (L/min)	
. , ,	on flow at 24 hours.
Pump flow at 4 hours: Pum	np flow at 24 hours:

ECLS Care				
Unit Where Majority of ECLS Care Received				
	dult Cardiovascular ICU ECLS ICU Emergency Dept. Burn ICU			
Mixed ICU Neonatal ICU Pediatric ICU Pediatric Cardia	ac ICU ☐ Operating Room/Cath Lab → Initiated for procedure? Yes No			
Nutrition and Mobility				
Enteral Feeding Date/Time (started and continued for at least 2	dave)			
Entoral Podding Bato, Filmo (stated and continued for at least 2	<u> </u>			
Level of Mobilization at day 7 of ECLS (>8 years)	Maximum Level Achieved During ECLS (>8 years)			
0 Nothing (lying in bed)	0 Nothing (lying in bed)			
1 Sitting in bed, exercises in bed	1 Sitting in bed, exercises in bed			
2 Passively moved to chair (no standing)	2 Passively moved to chair (no standing)			
3 Sitting over edge of bed	3 Sitting over edge of bed			
4 Standing (with or without assist)	4 Standing (with or without assist)			
5 Transferring bed to chair	5 Transferring bed to chair			
6 Marching on spot (at bedside)	6 Marching on spot (at bedside)			
7 Walking with assistance of 2 or more people	7 Walking with assistance of 2 or more people			
8 Walking with assistance of 1 person	8 Walking with assistance of 1 person			
9 Walking independently with a gail aid	9 Walking independently with a gail aid			
10 Walking independently without a gait aid	10 Walking independently without a gait aid			
Modes of ECLS				
Initial Mode of ECLS				
ECLS Start Date/Time:	ECLS/Mode Stop Date/Time:			
ECLS mode: V-A (Venoarterial) V-V (Venovenous)	∪ V-VA (Veno - venoarterial) □ A-VCO2R			
☐ VV-ECO2R ☐ VP (Venopulmonary) ☐ Other				
	,, <u> </u>			
Cannulas Placed for the Initial Mode of ECLS				
Please see ELSO Registry Data Definitions for specifics				

If a manufacturer or model is not listed, please contact RegistrySupport@ELSO.org

	Cannula #1	Cannula #2	Cannula #3	Cannula #4	Cannula #5		
		Note: Times will autopopulate with time on and off ECLS. Only note new date/time for cannulas placed and removed during the run.					
Start Date/Time	,						
End Date/Time							
Manufacturer							
Cannula Model/Size							
Pre-Existing?							
Percutaneous?							
Site							
Initial Purpose?							
Replaced?							
Reason?							

Equipment

- Please see ELSO Registry Data Definitions for specifics
- Specific reasons for membrane and pump replacement require a complication to be entered within 4 hours of the equipment exchange, UNLESS ECMO Stop Date/Time or Date/Time of Death is not entered within 4 hours.

Membrane Lung	#1	#2	#3
Start Date/Time			
End Date/Time			
Manufacturer			
Device			
Concurrent Membrane?			
Membrane Replaced? Reason?			
Blood Pump	#1	#2	#3
Start Date/Time			
End Date/Time			
Manufacturer			
Device			
Concurrent Blood Pump?			
Pump Replaced? Reason?			

Other Equipment	Manufacturer	Device
Hemofilter		
Temp Regulation Device		

Membrane Lung	#4	#5	#6
Start Date/Time			
End Date/Time			
Manufacturer			
Device			
Concurrent Membane?			
Membrane Replaced? Reason?			
Blood Pump	#4	#5	#6
Start Date/Time			
End Date/Time			
Manufacturer			
Device			
Concurrent Blood Pump?			_
Pump Replaced? Reason?			

Duplicate this page as required for multiple changes	

Add New Mode Con	VERSION (this section to	be used only for mode co	onversions – must enter a S	Stop Date/Time for the initial	mode)	
ECLS Mode Start Date	e/Time:	E	CLS Mode Stop Dat	e/Time:		
ECLS mode:						
	Is this a concurrent mode? If yes, you must enter concurrent membrane lung and pump devices. Cannulas Placed for this Mode of ECLS					
Camilulas Flaceu for till	Cannula #1	Cannula #2	Cannula #3	Cannula #4	Cannula #5	
		Note: Times will autopopulate with time on and off ECLS. Only note new date/time for cannulas placed during the run.				
Start Date/Time						
End Date/Time						
Manufacturer						
Cannula Model/Size						
Pre-Existing?						
Percutaneous?						
Site						
Initial Purpose?						
Replaced?						
Reason?						
□ vv	e/Time: A (Venoarterial)	E] V-V (Venovenous] VP (Venopulmon	CLS Mode Stop Dat)		 √CO2R	
Cannulas Placed for thi	s Mode of ECLS			•		
	Cannula #1	Cannula #2	Cannula #3 autopopulate with time	Cannula #4	Cannula #5	
			te/time for cannulas pla			
Start Date/Time						
End Date/Time						
Manufacturer						
Cannula Model/Size						
Pre-Existing?						
Percutaneous?						
Site						
Initial Purpose?						
Replaced?						
Reason?						
	Duplic	ate this page as requ	ired for multiple mode	changes		

Primary Diagnosis:	ICD-10 Diagnoses					
Select the primary diagnosis from the choices. If a general category is selected, you will be prompted to choose a specific subcategory or causative etiology. Some sub-categories may require additional branching characterization. List any additional diagnoses. There is no limit to the number of diagnoses you may enter. Secondary Diagnoses: (unlimited) Secondary Diagnoses: (unlimited)	Primary Diagnosis: _			(check box as primary)		
subcategory or causative etiology. Some sub-categories may require additional branching characterization. List any additional diagnoses. There is no limit to the number of diagnoses you may enter. Secondary Diagnoses: (unlimited)	Neonatal Respiratory	Diagnosis C	categories: Please	e refer to the ELSO Registry Definitions for specifics.		
	subcategory or causat	subcategory or causative etiology. Some sub-categories may require additional branching characterization. List any additional				
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)	Secondary Diagnose	S: (unlimited)				
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
CPT Procedure Codes (List all relevant procedures related to the patient even if preceding this admission)						
	CPT Procedure Co	des (List all re	elevant procedures relate	ed to the patient even if preceding this admission)		
Date/Time Estimated? Code/Procedure						

Date/Time	Estimated? Y/N	Code/Procedure

ECLS Complications

- Please see ELSO Registry Data Definitions for specifics regarding each complication definition.
- Enter multiple complications of the same type by 'add new complication' with new date/time for each occurrence.
- Complications that 'continue' for several days only need the first date of occurrence. (ie creatine >3.0) If the complication were to cease, and then re-occur, please enter the new date/time of the occurrence.
- A complication of Brain Death must be entered to allow a Date/Time of Death prior to ECMO Stop Date/Time.
- If a membrane lung failure or Blood Pump Failure is entered, an exchange should be entered in most circumstances.

Mechanical	Date/Time	Date/Time	Date/Time	Date/Time
Oxygenator Failure				
Blood Pump Failure				
Raceway Rupture				
Other Tubing Rupture				
Cannula Problems				
Circuit Change				
Temp Reg Device Malfunction				
Clots and Air Emboli				
Thombosis/Clots in Circuit Component				
Clots Hemofilter				
Air in Circuit				

Hemorrhage	Date/Time	Date/Time	Date/Time	Date/Time
GI Hemorrhage				
Peripheral Cannulation Site Bleeding				
Mediastinal Cannulation Site Bleeding				
Surgical Site Bleeding				

Neurological	Date/Time	Date/Time	Date/Time	Date/Time
Brain Death				
Seizures Clinically Determined				
Seizures Confirmed by EEG				
CNS Diffuse Ischemia				
CNS Infarction				
Intra/extra Parenchymal CNS Hemorrhage				
Intraventricular CNS Hemorrhage				
Neurosurgical intervention performed				

ECLS Complications (cont'd)

Renal	Date/Time	Date/Time	Date/Time	Date/Time
Creatinine 1.5 – 3.0				
Creatinine > 3.0				
Renal Replacement Therapy Required				

Cardiovascular	Date/Time	Date/Time	Date/Time	Date/Time
CPR Required				
Cardiac Arrhythmia				
Tamponade (blood)				
Tamponade (not blood)				

Pulmonary	Date/Time	Date/Time	Date/Time	Date/Time
Pneumothorax				
Pulmonary Hemorrhage				

Infectious	Date/Time	Date/Time	Date/Time	Date/Time
WBC < 1,500				

Metabolic	Date/Time	Date/Time	Date/Time	Date/Time
Hyperbilirubinemia				
Moderate Hemolysis				
Severe Hemolysis				

Patient Limb	Date/Time	Date/Time	Date/Time	Date/Time
Compartment Syndrome				
Fasciotomy				
Amputation				
Ischemia Requiring Limb Reperfusion Cannula				

Infections (pre and those occurring on ECMO)

Date/Time/Estimated?	Culture Site	Organism Type	Organism

- Sites: Blood, Bone, Cerebrospinal fluid, Peritoneal fluid, Pleural fluid, Respiratory tract, Skin/soft tissue, Stool, Urine, Wound surgical, Wound traumatic, Other, Unknown
- Type: Unknown, Gram+ Bacteria, Gram- Bacteria, Mycobacterium, Fungus (yeast and mold), Viruses and Prions, Protozoa
- Selection of Type will populate specific associated organisms.
- Organisms are listed in the Data Definiitons. If an organism is not listed, please contact RegistrySupport@elso.org

Outcomes			
Discontinuation Reason (Why the patient was separated fr	rom ECLS)		
This may be left blank if patient was transferred on ECL			
 ☐ Expected recovery ☐ Poor prognosis followed by death ☐ Resource limitation ☐ ECLS complication ☐ Transition to VAD Support ☐ Unknown 	 □ Pumpless Lung Assist (Pa to LA) □ Poor prognosis followed by unexpected survival □ Heart transplant □ Lung transplant □ Heart and Lung transplant 		
Cannulation Repair			
 This may be left blank if patient was transferred on ECL None Internal Jugular Vein Other 	_S ☐ Common Carotid Artery ☐ Both Carotid and Jugular		
Extubated			
 This may be left blank if patient was transferred on ECL □ Orally extubated ≥ 48 hrs □ N/A - Transferred intubated □ N/A - Other 	_S ☐ N/A - Tracheostomy ☐ N/A - Intubated at time of death		
Oral Endotracheal Tube Removed Date/Time:			
Discharged Alive / Transferred on ECMO			
 If the patient was transferred on ECMO, enter the ECLS the Discharged Date/Time will autopopulate. Select of an ELSO Center will allow either entering ELS 	S Stop Date/Time as the Discharged Date/Time and SO Center Number or typing name of Center. Non-ELSO Center is a free text field. O in the case of Brain Death – must enter brain death as a complication.		
☐ Yes ☐ No	☐ On ECMO?		
ICU Discharge Date/Time:	☐ ELSO Center? ☐ Non ELSO Center?		
Hospital Discharge Date/Time:	Center Name:		
Death Date/Time:			
Discharge Location			
☐ Home☐ Transfer to Another Hospital☐ Other/Unknown	☐ Transfer to Long Term Care (LTAC) ☐ Transfer to Rehab ☐ Transfer to Hospice		
Form completed by: C	Completed date is automatically added when you submit the run.		
Select Validate Data – to assure mandatory fields	s complete, dates are correct.		
Select Submit and Lock – to finalize the record are	nd submit to ELSO.		
Selection of Edit Run after Submission will allow	the user to change data, but the form must be re-validated and re-submitted.		
Deletion of a record must be done by ELSO Staff – please email RegistrySupport@elso.org			
Any questions and concerns may be directed to [RegistrySupport@elso.org		